

Lindheimer

I

150. *Tenacium Cubense*, L.

II.

273. *Condolobus cynanchoides*, Gr.

245. *Hedeoma Drummondii*, B.H.

304. *Forestiera acuminata*, Poir.

III.

495. *Hedeoma Drummondii*, Benth.

496. " *acinoides*, Schrad.

? (461) *Condolobus reticulatus*, Eng. - or *l. laciniis*?

? (490) *Stachys agraria* or *Drummondii*?

562, 3. *Aristida purpurea*, Nutt.

IV.

537 } *Forestiera pubescens*, Nutt.

700 }

675. *Tenacium laciniatum*, Torr.

Leiodermis Grasses

- | | | | |
|-----|---|--------|--|
| 84 | <i>Leptochloa mucronata</i> | 570 | <i>Festuca tenella</i> |
| 88 | <i>Muhlenbergia trichopoda</i> | | <i>Elymus Virginicus</i> |
| 89 | <i>Bouteloua hirsuta</i> | 41 | <i>Elymus Canadensis</i> |
| 91 | <i>Festuca pseudo-dumicola</i> | 588 | <i>Agrostis verticillata</i> |
| 92 | <i>Hilaria cenchroides</i> | 720 | <i>Cenchrus tribuloides</i> |
| 154 | <i>Andropogon furcatus</i> | 1 | <i>Loopyzo racemosa</i> |
| 160 | <i>Panicum virgatum</i> | 2 | <i>Panicum leucophaeum</i> |
| 162 | " <i>otthausii</i> | 3 | " " |
| 163 | " <i>virgatum</i> | 4 | <i>Sporobolus cryptandrus</i> |
| 164 | <i>Setaria caudata</i> | 5 | <i>Muhlenbergia distichophylla</i> |
| 176 | <i>Muhlenbergia distichophylla</i> | 6 | <i>Vilfa aspera</i> Beauv. |
| 191 | <i>Panicum grayi</i> | 7 | <i>Greenia Arkanziana</i> |
| 207 | <i>Spartina pinnatifida</i> | 8 | <i>Panicum agrostoides</i> |
| 208 | <i>Elymus obliquus</i> | 9 | <i>Muhlenbergia nuttiana</i> diffusa |
| 210 | <i>Panicum hirtellum</i> | 730 | <i>Chloris verticillata</i> |
| 213 | <i>Eragrostis leptans</i> | 1 | <i>Bouteloua hirsuta</i> |
| 214 | " <i>andropogon mucronatus</i> | 2 | <i>Bout. curtispindula</i> var <i>aristata</i> |
| 317 | <i>Andropogon mucronatus</i> | 3 | <i>Panicum virgatum</i> |
| 399 | <i>Panicum hirtellum</i> | 4 | <i>Eragrostis oxylepis</i> |
| 554 | <i>Vilfa depressa</i> var. | 5 | " " |
| 555 | <i>Agrostis verticillata</i> | 6 | " <i>tenuis</i> |
| 556 | <i>Elymus obliquus</i> | 7 | " <i>virgatum</i> |
| | 1 <i>Stipa setigerus</i> | 8 | <i>Ficuspis acuminata</i> |
| | 2 <i>Aristida purpurea</i> (aequirum) | 9 | <i>Elymus Virginicus</i> |
| | 3 <i>Aristida purpurea</i> | 740 | <i>Sorghum nutans</i> |
| | 4 <i>Setaria caudata</i> | X 907. | <i>Elymus Sibiricus</i> |
| | 5 <i>Panicum dichotomum</i> | X 741 | <i>Andropogon furcatus</i> |
| | 6 <i>Eriochloa sericea</i> | | |
| | 7 <i>Paspalum hirsutum</i> | | |
| | 8 <i>Bouteloua curtispindula</i> | | |
| | 9 <i>Buchloe dactyloides</i> | | |
| | <i>Elymus Canadensis</i> | | |
| | 178 <i>Agrostis verticillata</i> | | |

Berlandiers Grapes.

235

- 372 *Festuca tenuella*
- 444 *Andropogon squarrosus*
- 457 *Aristida purpurea* Berol.
- 491 *Andropogon macrourus*
- 495 *Cenchrus macromma*
- 559 *Eragrostis reptans*
- X 895 " "
- 869 " *proseridis*
- 915 " *tenuis*
- 948 *Andropogon argenteus*
- 949 *Aristida purp. Berol.*
- 1010 *Phalaris intermedia*
- 1092 *Setaria glauca*
- 1427 *Bouteloua trifida*
- 1668 *Festuca tenuella*
- 1769 *Andropogon argenteus*
- 2045 *Cenchrus tribuloides*
- 2284 *Eragrostis megastach.*
- 2320 " *reptans*
- 2332 *Pennis fasciculata*
- 2378 *Andropogon argus*
- 2379 *Aristida purp. Berol.*
- 2381 *Bouteloua curtipendula*
- 2418 *Pennis dichot.*
- X 2439 " *crusgalli*
- X 2440 *Phalaris intermedia*

- 2322 *Setaria glauca*
- 2551 *Aristida purp. Berol.*
- 2570 *Eragrostis proseridis* Mezger.
- 2575 *Bromus limboloides*
- 2579 *Elymus Virginicus*
- 3036 *Lappula racemosa*
- 3226 or 3228 *Spartina junceaformis*

~~1050~~ Berlandierii - Gram.

1428 *Hilaria cenchroides*

A.B.K.

1940 *Poa Mexicana*

1870 *Agrostis tenacissima*

1683 *Uniola latifolia*